



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/520,008	03/06/2000	Jong-Deok Choi	YO999-0502	7748

21254 7590 09/30/2003

MCGINN & GIBB, PLLC
8321 OLD COURTHOUSE ROAD
SUITE 200
VIENNA, VA 22182-3817

EXAMINER

STEELMAN, MARY J

ART UNIT	PAPER NUMBER
----------	--------------

2122

DATE MAILED: 09/30/2003

3

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/520,008

Applicant(s)

CHOI ET AL.

Examiner

Mary J. Steelman

Art Unit

2122

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 03/06/2000 & 06/02/2000.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-69 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-69 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 02 June 2000 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

1. Claims 1-69 are pending.

Drawings

2. Formal Drawings were received 06/02/2003.
3. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description:

Fig. 11, #1100 is not in the drawing. See Specification page 35, line 17.

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

4. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference sign(s) not mentioned in the description:

Fig. 3B, #301-305.

Fig. 4.

Fig. 8A includes #801-80 & 803A. Reference Specification page 37, lines 8-12 where item numbers are 1801 -1804. Reference numbers in Specification should be changed.

Fig. 10, #1000, #1005A, and 1007B.

Fig. 12A, #1202-1204.

Fig. 12B, #1252-1253.

A proposed drawing correction, corrected drawings, or amendment to the specification to add the reference sign(s) in the description, are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Art Unit: 2122

Specification

5. Applicant is requested to update the information on page 1 of the Specification.
6. The disclosure is objected to because of the following informalities: Appropriate correction is required.

Page 35, line 2 recites, "...steps 101A of enterGCCriticalSection...", should be --...steps 1005A of enterGCCriticalSection...--

Page 35, line 3 recites, "...similar to that of 1001 on the client side...", should be --...similar to that of 1005 on the client side...--

7. Applicant to submit cross references to related Applications and descriptions of related art as per MPEP, including previously published information regarding DejaVu and multiprocessors:

Content of Specification

- (b) Cross-References to Related Applications: See 37 CFR 1.78 and MPEP § 201.11.
- (e) Background of the Invention: See MPEP § 608.01(c). The specification should set forth the Background of the Invention in two parts:
 - (1) Field of the Invention: A statement of the field of art to which the invention pertains. This statement may include a paraphrasing of the applicable U.S. patent classification definitions of the subject matter of the claimed invention. This item may also be titled "Technical Field."
 - (2) Description of the Related Art including information disclosed under 37 CFR 1.97 and 37 CFR 1.98: A description of the related art known to the applicant and including, if applicable, references to specific related art and problems involved in the prior art which are solved by the applicant's invention. This item may also be titled "Background Art."

Art Unit: 2122

8. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

9. The following claims recite limitations demonstrating insufficient antecedent basis:

Claim 9, "...wherein said application..."

Claim 26, "...wherein the logical schedule interval LSI[I]..."

Claim 36, "...wherein each virtual machine..."

Claim 40, "...wherein network operations..."

Claim 43, "...the virtual machine-server..."

Claim 44, "...sending the ClientEventID..."

Claim 45, "...the networkEventId...", "...the connectionId...", "...the NetworkLogFile...", "...networkEventId value...", and "...the matching connectionId..."

Claim 46, "...the matching connectionID..."

Claim 47, "...which equals recValue..."

Claim 48, "...the thread-specific event Num..." and "...the NetworkLogFile..."

Claim 50, "...the NetworkLogFile..." and "...the current eventNum..."

Claim 55, "...wherein enterFDCriticalSection(socket)..."

Double Patenting

10. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686

Art Unit: 2122

F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

11. Claim 1 is provisionally rejected under the judicially created doctrine of double patenting over claim 1 of copending Application No. 09/569306. This is a provisional double patenting rejection since the conflicting claims have not yet been patented.

The subject matter claimed in the instant application is fully disclosed in the referenced copending application and would be covered by any patent granted on that copending application since the referenced copending application and the instant application are claiming common subject matter, as follows:

“identifying an execution order of critical events of a program;
-generating groups of critical events of said program, wherein for each group, critical events belonging to said group belong to a common execution thread;
-generating, for each execution thread, a logical thread schedule that identifies a sequence of said groups.”

Art Unit: 2122

12. Claim 60 is provisionally rejected under the judicially created doctrine of double patenting over claim 31 of copending Application No. 09/569306. This is a provisional double patenting rejection since the conflicting claims have not yet been patented.

The subject matter claimed in the instant application is fully disclosed in the referenced copending application and would be covered by any patent granted on that copending application since the referenced copending application and the instant application are claiming common subject matter, as follows:

“-identifying an execution order of critical events of a program;
-deterministically replaying.”

Furthermore, there is no apparent reason why applicant would be prevented from presenting claims corresponding to those of the instant application in the other copending application. See *In re Schneller*, 397 F.2d 350, 158 USPQ 210 (CCPA 1968). See also MPEP § 804.

13. Claims 1 and 67 are rejected under the judicially created doctrine of double patenting over claim 1 of U. S. Patent No. 6,101,524 since the claims, if allowed, would improperly extend the "right to exclude" already granted in the patent.

The subject matter claimed in the instant application is fully disclosed in the patent and is covered by the patent since the patent and the application are claiming common subject matter, as follows:

Patent 6,101,524, claim 1:

-identifying execution order of critical events of said program, wherein said program comprises critical events and non-critical events;

Art Unit: 2122

-generating groups of critical events of said program...

-generating for each given execution thread, a logical thread schedule that identifies a sequence of said groups...

maps to Application 09 / 520008 claims 1 and 67:

-identifying execution order of critical events of a program...

-generating groups of critical events of said program...

-generating for each given execution thread, a logical thread schedule that identifies a sequence of said groups...

Furthermore, there is no apparent reason why applicant was prevented from presenting claims corresponding to those of the instant application during prosecution of the application which matured into a patent. See *In re Schneller*, 397 F.2d 350, 158 USPQ 210 (CCPA 1968). See also MPEP § 804.

Claim Objections

14. Claim 53 objected to because of the following informalities: Claim 53 recites "The method according to claim 53...", should be "The method according to claim 52...". Examiner will treat this claim as if it were dependent upon claim 52. Appropriate correction is required.

Claim Rejections - 35 USC § 103

15. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 2122

16. Claims 1-33 & 35-48, 57-62, and 64-69 are rejected under 35 U.S.C. 103(a) as being unpatentable over “Deterministic Replay of Java Multithreaded Applications” by Jong-Deok Choi, and Harini Srinivasan (August 1988), in view of “TCP/IP Illustrated, Volume 1 The Protocols”, by W. Richard Stevens (1994).

Choi disclosed a deterministic replay of JAVA multithreaded applications under the name of DejaVu. Per claim 1, Choi disclosed:

- identifying an execution order of critical events of a program; (Page 2, right column, paragraph 7, “...capture all these synchronization events and the shared variable accesses in order to reproduce the exact same execution behavior...collectively refer to the synchronization events and shared variable accesses as critical events...A logical thread schedule is a sequence of intervals of critical events...”)

- generating groups of critical events of said program, wherein for each group, critical events belonging to said group belong to a common execution thread; (Page 4, left column, paragraphs 3 & 4, “The logical thread schedule of an execution instance...is an ordered set of critical events intervals...a set of maximally consecutive critical events of a thread. Formally, a logical schedule interval is a (temporally well ordered) non-empty set of critical events with the following properties: 1. all critical events of the logical schedule interval belong to the same thread...”)

- generating, for each execution thread, a logical thread schedule that identifies a sequence of said groups so as to allow deterministically replaying non-deterministic bytes (Page 4, left column, paragraph 5, “...given any two critical events...of the logical schedule interval, all critical events of the thread that happened between (two points) also belong to this logical schedule interval...”)

Although Choi did not provide specific information on networking features, Choi did allow for the possibility of the DejaVu system to operate in a networked environment. At several locations in the article Choi noted that “it can be used on a multiprocessor system as well” (page 1, right column, 4th paragraph). The presented claims read exactly on DejaVu with the addition of networking features such as socket connections and datagram messages included. Choi did not address replaying a non-deterministic arrival of stream socket connection requests, a non-deterministic number of bytes received during message reads, a non-deterministic binding of stream sockets to local ports, and a non-deterministic arrival of datagram messages. However, networking protocols are well known and described by Stevens (Chapter 2: TCP/IP, PPP, datagrams, chapter 11: UDP, out of order delivery, reassembly, header data, path discovery, chapter 12: unicasting and multicasting, chapter 17: TCP headers, sequencing number, source / destination port numbers, packet numbers, order events, chapter 18: socket connections, network ids, synchronizing, chapter 25: identifiers / tables (logging))

Therefore, it would have been obvious, to one of ordinary skill in the art, at the time of the invention, to have modified Choi’s disclosed invention, a modified virtual machine that records and replays a program’s execution, deterministically enforcing logical thread schedules by including networking features as disclosed by Stevens because Choi did disclose that his DejaVu implementation could be used on a multiprocessor system, but failed to disclose common network features. Stream socket connection requests, message reads, stream sockets to local ports, and datagram messages are features that allow for communication between networked computers. They are well known to persons of ordinary skill in the art and are disclosed in the Stevens textbook.

Art Unit: 2122

Regarding claims 2-10, 17-33, and 39, Choi disclosed:

Per claim 2: (Page 9, right column, 5th paragraph, “We have implemented the record/replay mechanism discussed in the previous sections by modifying the ...Virtual Machine...”)

Per claim 3: (Page 1, right column, end of 4th paragraph, “Another advantage of DejaVu is that it can be used on a multiprocessor system...”)

Per claim 4: (Page 2, right column, middle of 7th paragraph, “It is therefore imperative, in a record/replay tool, to capture all these synchronization events and the shared variable accesses in order to reproduce the exact same execution behavior o the program.”)

Per claim 5: (Page 9, right column, 5th paragraph, “...record/replay mechanism...modifying the...Virtual Machine...is capable of deterministic replay of JAVA multithreaded programs...”)

Per claim 6: (Page 9, right column, 5th paragraph, “We considered modifying the application bytecode...but decided against it...”)

Per claim 7: (Page 1, right column, 4th paragraph & 6th paragraph, “Replaying a multithreaded program on a uniprocessor system can be achieved by first capturing the thread schedule information during one execution of the program, and then enforcing the exact same schedule when replaying...”)

Per claim 8: (Page 11, right column, 3rd paragraph, “Also, our approach works on multiprocessor systems...” and page 9, left column, 2nd paragraph, “...each thread executes and reproduces the same execution behavior using this ordered list of schedule intervals”)

Per claim 9: (Page 2, right column, paragraph 7, “A logical thread schedule is a sequence of intervals of critical events, wherein each interval corresponds to the critical and non-critical

Art Unit: 2122

events executing consecutively in a specific thread.” and page 4, right column, paragraphs 3 & 5, “Although the global clock and a thread’s local clock...”)

Per claim 10: (Page 4, left column, paragraph 8, - right column, paragraph 1, “We capture this unique logical thread schedule during the record phase, and enforce it during the replay phases to reproduce the same execution behavior.”)

Per claim 17: (Page 4, left column, paragraph 8-right column, paragraph 1, “We capture this unique logical thread schedule during the record phase, and enforce it during the replay phases to reproduce the same execution behavior.”)

Per claim 18: (Page 9, left column, paragraph 2, “...each thread executes and reproduces the same execution behavior using this ordered list of schedule intervals”)

Per claim 19: (Page 2, right column, paragraph 1, “We collectively refer to all the physical thread schedules in an equivalence class as a logical thread schedule.”)

Per claim 20: (Page 2, right column, paragraph 7, “We collectively refer to the synchronization events and shared variable accesses as critical events.” Also page 2, right column, paragraph 3, “monitorenter, monitorexit that mark the begin and end, respectively, of a critical section...”)

Per claim 21: (Page 2, right column, paragraph 4, “wait, notify/notifyAll that can be used to coordinate the execution order of multiple threads...”)

Per claim 22: (Page 2, right column, paragraph 7, “A logical thread schedule is a sequence of intervals of critical events...”)

Per claim 23: (Page 4, left column, paragraphs 3-6, “Each logical schedule interval is a set of maximally consecutive critical events of a thread. Formally a logical schedule interval is a (temporally well ordered) non-empty set of critical events with the following properties: 1. all

Art Unit: 2122

critical events of the logical schedule interval belong to the same thread; 2. given any two critical events...all critical events of the thread that happened between (two points) also belong to this logical schedule interval; and 3. no two adjacent intervals belong to the same thread.”)

Per claim 24: (Page 4, left column, paragraph 1, “...trace the first access to f, which is a read, and the last access to g...”)

Per claims 25, 26, 27, 28 & 30: (Page 4, right column paragraphs 2 & 3, “Each schedule interval, LSI, is an ordered set of critical events, and can be represented by its first and last critical events as follows...We use the global clock that ticks at each execution of a critical event to uniquely identify each critical event...While running, each thread captures the *FirstCriticalEvent* and *LastCriticalEvent*...”)

Per claim 29: (Page 4, right column, paragraph 5, “...global clock and a thread’s local clock start with the same time value, the local clock stays behind the global clock when a different thread executes a critical event...”)

Per claim 31: (Page 4, right column, paragraph 9, “The thread executes the critical event, and increments the global clock, both as one atomic operation...”)

Per claim 32: (Page 5, left column, paragraphs 2 & 3 – right column, paragraphs 1 & 2, “Since multiple threads execute critical events and update the same global clock, the following three events must be executed as a single atomic action...1. AssignGlobalClock – assigning the global clock value to the critical event; 2. UpdateGlobalClock – incrementing the global clock...3. CriticalEvent – execution of a critical event...)

Per claim 33: (Page 9, left column, paragraph 3-8 & right column, paragraph 1.)

Per claim 39: (Page 4, left column, paragraph 8, through right column paragraph 1.)

Art Unit: 2122

Regarding claims 11-16, 35-38, 40-48, 57-62, and 64-69:

Choi disclosed a deterministic replay of JAVA multithreaded applications under the name of DejaVu. Although Choi did not provide specific information on networking features, Choi did allow for the possibility of the DejaVu system to operate in a networked environment. At several locations in the article Choi noted that “it can be used on a multiprocessor system as well” (page 1, right column, 4th paragraph). The presented claims read exactly on DejaVu with the addition of networking features such as socket connections and datagram messages included.

Choi did not address PPP (Point-to-Point Protocols), limitations found in claims 11, 12, and 16. However, Stevens addressed the PPP in chapter 2, pages 26-27 & 31-32.

Therefore, it would have been obvious, to one of ordinary skill in the art, at the time of the invention, to have combined the disclosed art of Choi, a deterministic replay of JAVA multithreaded applications, by combining the features found in PPP networking, as addressed by Stevens, because Choi did disclose that his invention could be used on a multiprocessor system and by including the use of PPP, a well known faster network traffic medium, as noted by Stevens, processor to processor communications can realize an improvement.

Choi disclosed a deterministic replay of JAVA multithreaded applications under the name of DejaVu. Although Choi did not provide specific information on networking features, Choi did allow for the possibility of the DejaVu system to operate in a networked environment. At several locations in the article Choi noted that “it can be used on a multiprocessor system as

Art Unit: 2122

well” (page 1, right column, 4th paragraph). The presented claims read exactly on DejaVu with the addition of networking features such as socket connections and datagram messages included.

Choi did not address out-of-order packets, reassembly after fragmentation, identification, header data, and route identification, limitations of claims 38, 41, 42, 45, 46, 57-61, 64-69.

However, Stevens addressed these features in chapter 11: (discover path / page 153-157, header data / 148-157, identification / pages 148-150, reassembling after fragmentation / pages 148-149, out-of-order connections / pages 148-149, user datagram protocol sockets / pages 159-160, source IP and port number / page 144, handling datagram size / pages 159-160).

Therefore, it would have been obvious, to one of ordinary skill in the art, at the time of the invention, to have combined the disclosed art of Choi, a deterministic replay of JAVA multithreaded applications, by combining the common networking features including “UDP, a datagram oriented transport layer protocol” (page 143), because Choi did disclose that his invention could be used on a multiprocessor system and datagram protocols, identifications of paths, sources and ports, as noted by Stevens, are commonly used in sending / receiving and verifying processor to processor communications.

Choi disclosed a deterministic replay of JAVA multithreaded applications under the name of DejaVu. Although Choi did not provide specific information on networking features, Choi did allow for the possibility of the DejaVu system to operate in a networked environment. At several locations in the article Choi noted that “it can be used on a multiprocessor system as well” (page 1, right column, 4th paragraph). The presented claims read exactly on DejaVu with the addition of networking features such as socket connections and datagram messages included.

Art Unit: 2122

Choi did not address unicasting and multicasting, limitations of claims 14, 15, 40, and 62.

However, Stevens addressed these features in chapter 12: (“three kinds of IP addresses: unicast, broadcast, and multicast (threads in parallel)” / page 169).

Therefore, it would have been obvious, to one of ordinary skill in the art, at the time of the invention, to have combined the disclosed art of Choi, a deterministic replay of JAVA multithreaded applications, by including options for unicasting or multicasting, in referencing to sending messages, as noted by Stevens, because it allows the sender to efficiently specify one recipient or multiple recipients as needed when communicating in a multiprocessor system.

Choi disclosed a deterministic replay of JAVA multithreaded applications under the name of DejaVu. Although Choi did not provide specific information on networking features, Choi did allow for the possibility of the DejaVu system to operate in a networked environment. At several locations in the article Choi noted, “it can be used on a multiprocessor system as well” (page 1, right column, 4th paragraph). The presented claims read exactly on DejaVu with the addition of networking features such as socket connections and datagram messages included.

Choi did not address TCP headers, sequence numbers, source and destination port numbers, packet numbers and the order of events, limitations of claims 37, 60, 61, and 64-69.

However, Stevens addressed these features in chapter 17: (order events within thread / page 227, TCP headers, sequence numbers, source and destination port numbers, number of packets / pages 225-228) .

Therefore, it would have been obvious, to one of ordinary skill in the art, at the time of the invention, to have combined the disclosed art of Choi, a deterministic replay of JAVA

Art Unit: 2122

multithreaded applications, with features addressed by Stevens, regarding Transmission Control Protocol, because “TCP provides a connection-oriented, reliable, byte stream service” (page 223) useful when communicating in a multiprocessor system.

Choi disclosed a deterministic replay of JAVA multithreaded applications under the name of DejaVu. Although Choi did not provide specific information on networking features, Choi did allow for the possibility of the DejaVu system to operate in a networked environment. At several locations in the article Choi noted, “it can be used on a multiprocessor system as well” (page 1, right column, 4th paragraph). The presented claims read exactly on DejaVu with the addition of networking features such as socket connections and datagram messages included.

Choi did not address connections, network id, and synchronizing, limitations of claims 12, 13, 35-38, 41-44, and 46-48. However, Stevens addressed these features in chapter 18: (connection establishment & termination protocol / page 229-234, synchronizing (SYN) / page 231, network id / page 237, bind socket to port & unique identity / page 260, (uniquely identified by a 4-tuple), re-establish connection / page 230, identifying a connection request / page 240) .

Therefore, it would have been obvious, to one of ordinary skill in the art, at the time of the invention, to have combined the disclosed art of Choi, a deterministic replay of JAVA multithreaded applications, with features addressed by Stevens, regarding the connection establishment and termination of TCP, because TCP is a useful technique for exchanging data among networked processors, a connection-oriented, reliable, byte stream service.

Choi disclosed a deterministic replay of JAVA multithreaded applications under the name of DejaVu. Although Choi did not provide specific information on networking features, Choi did allow for the possibility of the DejaVu system to operate in a networked environment. At several locations in the article Choi noted that “it can be used on a multiprocessor system as well” (page 1, right column, 4th paragraph). The presented claims read exactly on DejaVu with the addition of networking features such as socket connections and datagram messages included.

Choi did not address identifiers and logging information in tables, limitations of claims 43 & 44. However, Stevens addressed these features in chapter 25: (variable identifiers and tables, logging / page 388).

Therefore, it would have been obvious, to one of ordinary skill in the art, at the time of the invention, to have combined the disclosed art of Choi, a deterministic replay of JAVA multithreaded applications, by combining the common networking features including “UDP, a datagram oriented transport layer protocol” (page 143), because Choi did disclose that his invention could be used on a multiprocessor system and the use of identifiers, tables, and logging, as noted by Stevens, are useful for network management in processor to processor communications.

17. Claims 34 and 49-56 are rejected under 35 U.S.C. 103(a) as being unpatentable over “Deterministic Replay of Java Multithreaded Applications” by Jong-Deok Choi, and Harini Srinivasan (August 1988), in view of “TCP/IP Illustrated, Volume 1 The Protocols”, by W. Richard Stevens (1994), and further in view of “The JAVA Developers Almanac, The JAVA Series from the Source” by Patrick Chan (1998).

Choi disclosed a deterministic replay of JAVA multithreaded applications under the name of DejaVu. Although Choi did not provide specific information on networking features, Choi did allow for the possibility of the DejaVu system to operate in a networked environment. At several locations in the article Choi noted that "it can be used on a multiprocessor system as well" (page 1, right column, 4th paragraph). The presented claims read exactly on DejaVu with the addition of networking features such as socket connections and datagram messages included.

Choi did not address socket connections, TCP/IP, PPP and other networking features. However, these are well known, and addressed by Stevens. Choi and Stevens, combined, failed to address the JAVA language specification. However, Chan, included information on JAVA packages, classes, and methods included as a part of the JDK, (java.io, java.net, java.rmi*) (pages 63-80) that can be used to enable byte code to work with socket APIs, and the JAVA Native Interface (JNI) (pages 794-799), a native programming interface for JAVA that is a part of the JDK, used to write native methods (map socket calls in a virtual machine). Chan referenced (pages 63-66), java.io classes for various read() methods available, (page 74) SocketPermission and BindException in the java.net package, referenced by claim limitations of claims 49, 54, 55, and 56. Chan included information on JAVA Native Interface, JNI at pages 794-799, referenced by claim limitations of claim 34.

Therefore, it would have been obvious, to one of ordinary skill in the art, at the time of the invention, to have modified Choi's DejaVu technique, which could be used on a multiprocessor system, to include socket API methods as disclosed by Stevens and JAVA methods, including native interface methods, to address networking features of virtual machines and byte codes, because these are common communication methods for a virtual machine

networked environment that enable interprocess communications, and they are defined in the Java Developers Kit as a part of the JAVA language, as addressed by Chan.

Per claim 50: (See limitations addressed in claims 33 and 49.)

Per claims 51 and 52, Stevens disclosed (page 505, Appendix C, The Sock Program, first paragraph) "specify the size of each read".

Per claim 53, Stevens disclosed (chapter 11, page 149), "The information maintained in the IP header for fragmentation and reassembly provides enough information to do this."

Conclusion

18. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.


19. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mary Steelman, whose telephone number is (703) 305-4564. The examiner can normally be reached Monday through Thursday, from 7:00 A.M. to 5:30 P.M. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tuan Dam can be reached on (703) 305-4552.

The fax phone number is (703) 872-9306. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.

Mary Steelman



09/10/2003



**TUAN DAM
SUPERVISORY PATENT EXAMINER**